	Application No.	Applicant(s)
	Application No.	Applicant(s)
Notice of Allewshility	10/088,019	TANAKA ET AL.
Notice of Allowability	Examiner	Art Unit
	Amr Awad	2675
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commining GHTS. This application is:	n this application. If not included unication will be mailed in due course. THIS
1. Mail This communication is responsive to amendment filed on 6	<u>8/20/2005</u> .	
2. ☑ The allowed claim(s) is/are <u>1,2,4-8 and 10-18</u> .		
 Acknowledgment is made of a claim for foreign priority ur a)	,	or (f).
Certified copies of the priority documents have		
2. Certified copies of the priority documents have	• •	
Copies of the certified copies of the priority do	cuments have been receive	d in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) ☐ including changes required by the Notice of Draftspers		w (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date	-	· · · ·
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date		r in the Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 	(
1. Notice of References Cited (PTO-892)		formal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413), /Mail Date
Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/29/05	98), 7. ☐ Examiner's	/Mail Date Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allowance
of Biological Material	9.	<u> -</u>

Art Unit: 2675

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/20/2005 has been entered.

Allowable Subject Matter

2. Claims 1-2, 4-8 and 10-18 are allowed.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance:

As to independent claims 1 and 7, none of the cited references either singularly or in combination teach or fairly suggest an image display apparatus or an image signal processing apparatus that includes among other features, a gamma correction means for performing a gamma correction on a color image signal received from an image signal receiving means to produce gamma corrected color image signal values, and a chromaticity adjustment means for performing a calculation using the gamma corrected color image signal values so as to adjust the chromaticity of an image to be displayed by the image display apparatus for each of the primary colors.

As discussed in the applicant's argument, the claims as amended clearly show that the chromaticity adjustment means is adjusting of the chromaticity based on the gamma corrected color image signal, which is not taught by Saito or Foley.

As to claim 12, the recitation of having the target chromaticity level for each primary color is set to a value in chromaticity that is among coordinate values belong to a common chromaticity range which is common to ranges of chromaticity that can be displayed by the plurality of image display units, and is closest to a standard chromaticity coordinate value for each primary color, is not taught or suggested by the cited references. Similar recitation is shown in claim 18.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amr Awad whose telephone number is (571) 272-7764. The examiner can normally be reached on Monday through Fridary from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sumati Lefkwitz can be reached on (571)272-3638. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/088,019 Page 4

Art Unit: 2675

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Amr Awad Primary Examiner Art Unit 2675

A.A.

AMR A. AWAD
PRIMARY EXAMINER

Amy Alan More